Professional manufacturer

AT Series

Manual of Electric Hanging Salamander

Our factory mainly produces western catering equipments; its necessary series products include: Barbecue series, baking series, Barbecue series, heat preservation series, snacker series and so on. The chocolate stoves are wildly used in the fields of ginshop, supermarket, domestic, hotel est..

Before opening it, please read this instruction book carefully to use it correctly.

Warn:

1. This product must be grounding for safety.
2. Not use the spray pipe to clean it.

AT-936 Electric Hanging Salamander series are made by absorbing advantages from foreign products. It owns a new style, a reasonable construction and convenient operation. Meanwhile, it can save electricity and heat food up quickly. So, it is suitable for hotels, supermarkets, other public and so on.

1. Basic Parameters

Model	Size （mm）	Voltage（v）	Power（kw）	Outer packaging size（mm）	Control switch
AT-936	570X340X260	220	2．2	600×380×280	1 Group

2. Transport & Keeping

During transport, the products are turning products, so carefully and lightly set them to avoid strenuous vibration. Generally, the wrapped products can not be stored in the open for a long time; you should store them in well-ventilated storehouse where there is no corrosive gas. No inversion .when it needs temporary to deposit, you should adopt water-resistant measures.

3. Safety & Environment

a) It should be settled at the stable place, apart from the noncombustibilities more than 10cm both left and right. its back should apart from the noncombustibilities over 20cm (such as the wall)
b) The power-line voltage of this equipment should conform to the nameplate power supply voltage .
c) The users are needed to set power switch, fuse and creepage protector near the facility.

No sundries before the switch, so that you can conveniently handle it .

d) Before using it, you must apply safety ground .

e) Before opening it, you should check all the electric elements are stably linked, whether the safety ground is reliable or not .

f) When changing the power wire, use the same size wire, and ask the professionals to change it.

g) When install and repair it, you should ask the one with electrician operation permit.

4. Operation

a) Thermostat is settled in the front, which controls the heating temperature of the heating tube as well as ensure the temperature inside the working tube.

b) Connected to power, green indicator on, at this time, the power are connected to the equipment, then switch on the temperature controller. Turn it deasil, and turn to the red with your needed temperature. At this time the yellow relay indicating light is on .when the inner container's temperature raises to the needed temperature ,the temperature controller can cut off the power automatically ,meanwhile ,the relay indicating light is off and the heating tube stops working. When the temperature reduces slightly, the temperature controller repeat this progress automatically, which can ensure a constant temperature in the inner container.

c) If any unusual phenomenon appears in the progress of using it ,you need to stop using it. Only after carefully check and removal of fault ,you could use it again.

d) When clean and maintain it, cut off the power to avoid accident.

e) Every time after using it, you can clean the surface of the stove and the stretched wire with wet washcloth, which is without corrosive cleanser.

f) Don't' clean it straightly with water, if not, you may destroy the electrical performance.

5. Accessories: A box of meeting oil, a barbecue net, a piece of manual and Certificate of Quality

6. Electrical Principle Diagram



R1-Heat resistance D1-Indicator light of power

D2-Indicator light of heat WK1-Temperature controller

7. Guarantee Clauses: the product will be maintained for life.

A. The term of validity for “three guarantee” is: six months

B. The acknowledgement on the term of validity for “three guarantee”: calculating it from the day of sale, deduct the day of delay ,which results from the repair or without accessories .If the last day of the term of validity is a legal holiday, take the next day of the holiday as the last day of the term of validity.

C. Belong to one of the following circumstances, practice reasonable charge for repair:

a) More than the term of validity

b) Have no voucher and note of the term of validity, except those who can prove in the day of the term of validity.

c) The content of the voucher do not tally with the product sign or it has been altered.

d) Not use the product according to the instruction of usage and maintenance, which result in the damage

e) The damage from the force majeure

f) The parts being the substitutes of maintain all belong to our factory.

g) About the product fault, my plant will not compensate for other obligation which is out of the guarantee.

(The modification of the instruction, please forgive not to notice.)